

# EDGEWISE



CONCRETE OVERLAY

















# EDGEWISE

### CONCRETE OVERLAY

## WHY EDGEWISE?

EdgeWise Curbing's Concrete Overlay Is...

- Versatile
- Economical
- Low Maintenance
- Highly Personalized
- A Finished, Clean Look
- Perfect for Reviving Aging Concrete
- Strong and Durable
- Highly Resistant to Salt, Chemicals, Mildew and Fungus
- A Heavy Duty and Affordable Alternative to Tile, Linoleum, Granite, Wood Flooring, Terrazzo, Marble, etc..
- Less Than the Cost of Replacing Concrete

**Brick Running Bond** 



**Brick Basket Weave** 



Roman Cobble



Design Options:



**New Random Stone** 



**Ashler Slate** 



**Medieval Cobble** 



# EDGEWISE CONCRETE OVERLA



Presidential Slate



California Crosswalk



Partisan Travertine



Tennessee Tile



Heavy Quarry Stone



Weathered Stone Tile



Italian Slate



Italian Slate

### **COLOR OPTIONS:**



Note: All colors shown are intended to show the approximate color of finish, choices, and ranges. Colors are achieved after 2 coats of a penetrating clear sealer. DO NOT use this chart as a final selection, for colors are affected by site conditions and installation procedure. SureCrete recommends making final selections from job specific samples made in the field.

Color Packs are used for white bag mixes only including: SureStamp, SureSpray, SureTex, SureBroom and the Xtreme Series bag mix. This color chart in not for Ready Mix or integral color use for concrete.

+ These colors are for pigmented sealer in range Special Color 1, and have a higher cost



## EDGEWISE CONCRETE OVERLAY

## Add Impact with Release Agent Colors!



**Note:** Colors are based on grey concrete with stain applied at full strength, no dilution with two applications, and is sealed with a penetrating color enhancing sealer. SureCrete recommends the use of SCR (Super Concrete Renovator) for surface preparation preceding the application of Eco-Stain. Color samples on this chart represent the color of finish as closely as possible. Color variations may occur due to differences in cement, aggregates and methods of application.

























